



JOWO 2017

The Tyrolean Autumn - September 21 | 22 | 23

ODLS 2017 Ontologies & Data in Life Sciences

Lexical ambiguity in SNOMED CT

Stefan Schulz

Catalina Martínez-Costa

Jose Antonio Miñarro-Giménez

Institute for Medical Informatics,
Statistics and Documentation,
Medical University of Graz, Austria

Background

- SNOMED CT: largest clinical terminology / ontology (English: 300 k concepts, 750k terms)
- Two aspects:
 - SNOMED CT as a domain ontology: Labels (FSNs), tentatively self-explaining; formal descriptions and definitions (EL++), still few free text elucidations
 - SNOMED CT as a domain terminology: at least for English, enrichment with quasi-synonyms ("interface terms")

Ontology labels vs. Interface terms

Labels

- Self-explaining
- Univocal
- Long
- Unabridged
- Unpopular
- Should be understandable independent of context

"Primary malignant neoplasm of lung"
"Leishmania tropica"
"Electrocardiogram"
"Diagnosis"

Interface terms

- Not self-explaining
- Ambiguous
- Short
- Abridged (Acronyms)
- Popular
- Depend on user groups, by specialty, institution, dialect


"Ca Lung "
"LT"
"ECG"
"Dx"

Popularity of terms (Pubmed titles and abstracts)

FSN (SNOMED CT)	Count	SNOMED CT synonyms	Count
Primary malignant neoplasm of lung	0	Lung cancer Bronchial carcinoma	120682 3452
Cerebrovascular accident	3819	Stroke	191559
Block dissection of cervical lymph nodes	1	Neck dissection	7512
Electrocardiographic procedure	1	Electrocardiogram ECG	33670 55120
Backache	3489	Back pain	38132
Capillary blood specimens	32	Capillary blood samples	574

Lexical ambiguity in a nutshell

- "Term" and "concept" are two fundamentally different things:
 - Concepts/classes/types/categories: units of language-independent meaning
 - (Natural language) Terms: units of language, connected to concepts



Main questions

- Why should ontologies care about ambiguity aspects at all when studying ontology?
 - User acceptance of ontology-based systems
 - Quality of structured data entry
 - Use of ontology in NLP scenarios
- How is lexical ambiguity related to the ontology issues proper?
 - Completeness and quality of ontology content
 - Complex categories

Understanding better SNOMED CT naming

- Fully specified names
 - Unique – 1 : 1 relation with codes
 - Carry a "hierarchy tag"
 - Without hierarchy tag (e.g. for term matching in texts), ambiguity may arise:
Lymphoma (disorder) vs. Lymphoma (morphology)
- Synonyms
 - May be ambiguous
- Short forms
 - Entries not ambiguous because accompanied by expanded form, e.g.
PIN - Prostatic intraepithelial neoplasia
Pressure-induced nystagmus

Scrutiny of ambiguous terms in SNOMED CT

- SNOMED CT January 2017 release: Extract ambiguous entries
 - Full terms (without hierarchy tags) $\rightarrow D_1$
 - Acronyms (without abbreviations) $\rightarrow D_2$
- Analysis:
 - Count ambiguities and their cardinality
 - SNOMED CT hierarchies to which ambiguous terms belong
 - Ambiguous terms that are related via non-taxonomic links (e.g. **Associated morphology** or **Has active Ingredient**)
 - Ambiguous terms that are related via taxonomic links (**is-a**)
- Purpose: Detect regularities, spot errors, derive recommendations to SNOMED Intl.

Results: Frequency and Distribution

- Frequency and distribution of ambiguous readings of SNOMED CT terms

Dictionary	Count	Cardinality		Maximum
		Mean	Median	
D ₁ (non-acronym terms)	7,439	2.02	2	6
D ₂ (acronyms)	899	5.54	2	1678

Results D₁

- **Leading patterns of concept tuples connected by the same SNOMED CT (non-acronym) term**

Hierarchy tag combination patterns	Pattern count	Rate of non-taxonomic links	Rate of taxonomic links
product substance	4,064	0.888	0.000
disorder morphologic abnormality	1,047	0.707	0.000
organism organism	221	0.000	0.452
procedure substance	213	0.911	0.000
procedure procedure	200	0.000	0.465
Other n-tuples ($2 \leq n \leq 6$)	1,694		

- **Strict implications, e.g.**
'*Folinic acid (product)*' subclassOf '**Has active ingredient**' some '*Folinic acid (substance)*'
- **"Dot types" (logical polysemy)**
'*Solar keratosis (disorder)*' subclassOf '**Associated morphology**'
some '*Solar keratosis (morphologic abnormality)*'

Results D₂

- **Leading patterns of concept tuples linked by the same acronym extracted from SNOMED CT terms**

Hierarchy tag combination Patterns	Pattern count	Rate of non- taxonomic links	Rate of taxonomic links
disorder disorder	66	0.015	0.167
disorder procedure	59	0.034	0.000
procedure procedure	38	0.000	0.263
procedure substance	33	0.333	0.000
disorder substance	28	0.000	0.000
Other n-tuples ($2 \leq n \leq$ 1678)	675		

- **Distribution of patterns much more evely**
- **Acronym naming pattern not specific:**
e.g., O/E – eye, O/E – nose, O/E – mouth, O/E – heart etc.

Conclusion

- Degree of Lexical ambiguity in SNOMED CT moderate
- Ontological aspect:
 - ontologically dependent concepts, partly interpretable as complex categories (dot types)
- Lexical aspect:
 - Amount of ambiguous acronyms lower than expected
→ risk of wrong mappings
- Naming aspect:
 - Acronym – expansion patterns not specific:
→ wrong expansions
- **Should interface terms (synonyms) be managed by the ontology curators?**